COTTAGE GROVE SPEEDWAY LATE MODEL RULES - 2012

## **BODY & CHASSIS: CHASSIS & BODY:**

FULL CAGE REQUIRED.

MAXIMUM BODY WIDTH - 83"

WHEEL BASE: 101 INCH MINIMUM.

MAXIMUM BODY HEIGHT – 41" AT BACK OF CAR.

CAR MUST MEASURE NO MORE THAT 50" FROM CENTER REAR AXLE TO BACK OF BODY. BUMPER ENDS MUST BE ROUNDED. Rear Bumper, or push bar,not to extend past rear body panel more than 10 inches.

NO SIDEBOARDS ALLOWED. 8IN. SPOILER ALLOWED. NO WINGS ALLOWED. Minimum weight 2250 pounds with driver after race. No traction devices of any kind.

## **DRIVELINE:**

Must have safety strap 2" wide.

## **FUEL CELL MANDATORY:**

Must be attached with two 2"straps all the way around or 1" square tubing. Bottom of fuel cell mandatory.

#### **ENGINE:**

Must be carbureted only. Aluminum heads & intake Manifold allowed. Headers Allowed.

Aluminum blocks ok

2150 minimum track scale weight – 602 and 604 Crate Engines

2250 minimum track scale weight - Cast Block Engines

2300 minimum track scale weight – Aluminum Engines

Must be self-starting to begin race. If push start is needed, car will start at the back of the pack, no exceptions.

## **CLUTCH / TRANSMISSION:**

Any, Only (1) transmission will be allowed per car. Transmissions. Must have (1) forward gear and (1) reverse.

### **FUEL:**

Alcohol or Gas.. No Nitro..

### SEAT:

Aluminum racing seat required.

## **DOOR BARS:**

Steel door plates, 18 gauge or .049-inch minimum thickness metal, must be securely welded to outside of door bars on driver's side.

#### TIRES:

Hoosier D55 on all 4 corners. GROOVING OR SIPING OF TIRES ALLOWED! Speedway officials WILL NOT allow a one week grace period for cars that do not

comply to the Hoosier tire rule. Hoosier tires must be on car prior to entering track.

WHEELS: Any

## **SEAT BELTS:**

3" Lap belt with (5) point mounting system only. Aircraft type OK. All belts must be securely mounted and in good condition. All belts subject to inspection. Belts must be no more than four years old.

## **MUFFLERS/EXHAUST:**

MANDATORY: Must meet 95db or below at 100 feet or you WILL NOT RACE. No SUPER TRAPS.

### **HELMETS:**

Helmets are required and must be Snell 95 or newer. Subject to inspection. Helmet must be worn at all times when car is moving.

### **UNIFORMS:**

Driving uniforms or racing suits of fire retardant material mandatory, at all times when on the racetrack, in your car. Driving gloves are mandatory.

NECK BRACE REQUIRED. ARM RESTRAINTS, OR WINDOW NET. MANDATORY!

# **EXTINGUISHERS:**

Must have a fire extinguisher in each pit area.

All numbers must be in contrasting colors on each side of the car and roof. Running a roof is optional. Size on sides -4" thick by 20" high. Top -4" thick by 30" high.

Must have 8" number on the front and rear of car.

NO 2 – WAY OR MORE COMMUNICATION DEVICES OF ANY KIND WITH DRIVER DURING ANY EVENT.

NO REARVIEW MIRRORS OF ANY TYPE ALLOWED.

TECH INSPECTOR WILL HAVE THE FINAL DECISION ON ANY RULE IN QUESTION.